





optional:  
LEVER SWITCH

GUIDANCE METHODE	<b>MANUAL</b>	
PROCESS TYPE	<b>TIG</b>	
COOLING TYPE	<b>LIQUIDE</b>	
MIN - MAX COOLANT VOLUME	<b>1.4 l/min</b>	
MIN - MAX COOLANT PREASSURE	<b>2.0 - 3.5 bar</b>	
TUNGSTEN DIAMETER	<b>0.5 - 4.8 mm / 0.5 - 4.0</b>	
GAS VOLUME	<b>3 - 11 l/min</b>	
STRAIN COMPLIES WITH TO <b>UNE-EN 60974/1</b>	<b>113V DC</b>	
TORCH LENGTH	<b>4, 8 m</b>	
ELECTRICAL CONTROL ACTIVATION	<b>MICROSWITCH 50 mA -24V</b>	
TEST ACCORDING TO RULES	<b>EN 60974-7</b>	
<b>RATING</b>	<b>DC</b>	<b>AC</b>
RATING 100%	<b>387A / 271A</b>	<b>330A / 230A</b>
RATING 60%	<b>500A / 350A</b>	<b>431A / 300A</b>



**EN 60974-7**



**L: 4, 8 mts**

424-428

CATEC	POS.	CODE	DESCRIPTION		PACK
65		252420304_T	COAXIAL TORCH	SR-424W LITTLE TIG 7.5MT 35/50	1
65		252420308_T	COAXIAL TORCH	SR-424W LITTLE TIG 7.5MT 35/50	1
65		252480304_T	COAXIAL TORCH	SR-428W LITTLE TIG 4 MT 35/50	1
65		252480308_T	COAXIAL TORCH	SR-428W LITTLE TIG 7.5MT 35/50	1
65		253420304_T	COAXIAL TORCH 4 SWITCHES	SR-424W LITTLE TIG 4 MTR 35/50	1
65		253420308_T	COAXIAL TORCH 4 SWITCHES	SR-424W LITTLE TIG 7.5M 35/50	1
65		253480304_T	COAXIAL TORCH 4 SWITCHES	SR-428W LITTLE TIG 4 MT 35/50	1
65		253480308_T	COAXIAL TORCH 4 SWITCHES	SR-428W LITTLE TIG 7.5MT 35/50	1
65	R-1	221TPLG1_T	BACK CAP LONG	226V -411-70-	5
65	R-2	221TPCT1_T	BACK CAP SHORT	226V -411-30-	5
65	R-3	221PZ10_T	COLLET Ø 1'0MM.	210V -964-01- .040"	5
65	R-3	221PZ16_T	COLLET Ø 1'6MM.	210V -965-01- 1/16"	5
65	R-3	221PZ20_T	COLLET Ø 2'0MM.	210V	5
65	R-3	221PZ24_T	COLLET Ø 2'4MM.	210V -966-01- 3/32"	5
65	R-3	221PZ32_T	COLLET Ø 3'2MM.	210V -967-01- 1/8"	5
65	R-3	221PZ40_T	COLLET Ø 4'0MM.	210V -968-01- 5/32"	5
65	E-1	242EL01_T	TORCH BODY ELECTRIC	SR-424W -424-00-	1
65	E-2	22102_T	INSULATOR	210V	5
65	E-3	2428EL01_T	TORCH BODY ELECTRIC	SR-428W -428-00-	1
65	E-6	20001012_T	HANDLE 1 TRIGGER	LITTLE TIG SR26/18W	1
65	E-7	20001015_T	HANDLE 4 TRIGGERS	LITTLE TIG SR26/18W	1
65	E-8	2000106_T	ELECTRICAL HANDEL MANTLE	LITTLE TIG	1
65	E-9	20001021_T	MICROSWITCH 1	LITTLE TIG	5
65	E-10	20001032_T	COMPLETE TRIGGER 4P	LITTLE TIG	1
65	E-11	20001031_T	1-SWITCH HANDLE SWITCH	LITTLE TIG	5
65	E-12	20001033_T	LEVER SWITCH	LITTLE TIG	1
65	E-14	2269901_T	CILINDRIC HANDLE	SR-18W/26 -H200-	1
65	E-15	226EL02_T	FLAT MICRO LINER	SR-18W/26 -607853-BL1	1
65	E-16	29902_T	MICROSWITCH FLAT TIG	-SW1F-	5
65	E-17	299022_T	LEVER SWITCH TIG	-SW4-25-	1
65	R-4	221GU10_T	GUIDE Ø 1'0MM.	210V -961-41- .040"	5
65	R-4	221GU16_T	GUIDE Ø 1'6MM.	210V -961-51- 1/16"	5
65	R-4	221GU24_T	GUIDE Ø 2'4MM.	210V -961-61- 3/32"	5
65	R-4	221GU32_T	GUIDE Ø 3'2MM.	210V -961-71- 1/8"	5
65	R-4	221GU40_T	GUIDE Ø 4'0MM.	210V -961-81- 5/32"	5
65	R-5	242GU16_T	GUIDE Ø 1'6MM.	SR-424W -221-0-	5
65	R-5	242GU24_T	GUIDE Ø 2'4MM.	SR-424W -222-0-	5
65	R-5	242GU32_T	GUIDE Ø 3'2MM.	SR-424W -223-0-	5
65	R-5	242GU40_T	GUIDE Ø 4'0MM.	SR-424W -224-0-	5
65	B-1	22130_T	CERAMIC CUP	210V -130-00- #4 1/4"	10
65	B-1	22130O_T	CERAMIC CUP	210V -130-00- #4 1/4" OR/TC	10
65	B-1	22131_T	CERAMIC CUP	210V -131-00- #5 5/16"	10
65	B-1	22131O_T	CERAMIC CUP	210V -131-00- #5 5/16"OR/TC	10
65	B-1	22132_T	CERAMIC CUP	210V -132-00- #6 3/8"	10
65	B-1	22132O_T	CERAMIC CUP	210V -132-00- #6 3/8" OR/TC	10
65	B-1	22133_T	CERAMIC CUP	210V -133-00- #7 7/16"	10
65	B-1	22133O_T	CERAMIC CUP	210V -133-00- #7 7/16"OR/TC	10
65	B-1	22134_T	CERAMIC CUP	210V -134-00- #8 1/2"	10
65	B-1	22134O_T	CERAMIC CUP	210V -134-00- #8 1/2" OR/TC	10
65	B-1	22135_T	CERAMIC CUP	210V -135-00- #9 9/16"	10
65	B-1	22135O_T	CERAMIC CUP	210V -135-00- #9 9/16"OR/TC	10
65	B-1	22136_T	CERAMIC CUP	210V -136-00- #10 1/4"	10
65	B-1	22136O_T	CERAMIC CUP	210V -136-00- #10 1/4"OR/TC	10
65	B-2	2213007_T	CERAMIC CUP LONG	210V -130-07- #4 1/4"	10
65	B-2	2213107_T	CERAMIC CUP LONG	210V -131-07- #5 5/16"	10

65	B-2	2213207_T	CERAMIC CUP LONG	210V -132-07- #6 3/8"	10
65	B-2	2213307_T	CERAMIC CUP LONG	210V -133-07- #7 7/16"	10
65	B-2	2213407_T	CERAMIC CUP LONG	210V -134-07- #8 1/2"	10
65	B-2	2213507_T	CERAMIC CUP LONG	210V -135-07- #9 9/16"	10
65	C-1	0299CB_T	BIPOLAR CABLE Ø 0.75 MM	TIG	100
65	C-2	145TG99_T	COOL HOSE BLACK P.V.C.	Ø5*8MM.	100
65	C-3	145TA99F_T	COOL HOSE BLUE P.V.C.	Ø5*8MM.	100
65	C-4	242CAD_T	CABLE ASSEMBLY TERMINAL	SR-424W -723-01-	5
65	C-5	08F2225_T	LINING EXTERIOR	IMPACT SR-26V/SR-18WV	40
65	C-9	5140225_T	REAR CONEXION C/A TIG	25MM2 1/4G	5
65	C-10	5140216_T	REAR CONEXION C/A TIG	16MM2 1/4G	5
65	C-11	145TA99C_T	COOL HOSE RED P.V.C.	Ø5*8MM.	100
65	C-12	248CAD_T	PLUG POWER CABLE	SR-428W	5
65	T-3	299TG2_T	REAR NUT GAS TIG NICKEL	1/4GAS	10
65	T-4	299TG88_T	REAR NIPPLE GAS TIG	Ø3*6MM.	10
65	T-5	145TA88A_T	PLUG FOR CENTRAL CONNECTOR	EM-401W/501W	10
65	T-6	145TA88_T	PLUG FOR CENTRAL CONNECTOR	EM-401W/501W	10
65	T-81	200002602_T	COAXIAL CONECTION 35/50 1/4G	LITTLE TIG	1
65	T-82	200002601_T	COAXIAL CONECTION 10/25 1/4G	LITTLE TIG	1
65	T-9	299R1214_T	REDUCTION TIG	1/4GM - M12/100H	1
65	T-9	5120216_T	REAR CONEX. C/A TIG	16MM2 M/12*1	5
65	T-10	299R3814_T	REDUCTION TIG	1/4GM - G3/8H	1
65	T-10	5380216_T	#N/A	16MM2 3/8G	5
65	T-17	145T095_T	HOSE CLAMP	-09'5-	10
65	S-2	20001242_T	SUPPORT WATER CONECTION	LITTLE TIG	1
65	S-3	1EM9MZ1_T	SCREW CENTRAL CONNECTOR	ERGODANI EM/EX/NEO	10