




GUIDANCE METHODE	MANUAL
PROCESS TYPE	TIG
COOLING TYPE	GAS
TUNGSTEN DIAMETER	0.5 - 4.0 mm
GAS VOLUME	3 - 9 l/min
STRAIN COMPLIES WITH TO UNE-EN 60974/1	113V DC
TORCH LENGTH	4, 8 m
ELECTRICAL CONTROL ACTIVATION	MICROSWITCH 50 mA -24V
TEST ACCORDING TO RULES	EN 60974-7

RATING	DC	AC
RATING 100%	186A	160A
RATING 60%	240A	206A



EN 60974-7





L: 4, 8 mts

SR-26V

CATEC	POS.	CODE	DESCRIPTION		PACK
68		251260104_W	BITUBE TORCH	SR-26V LITTLE TIG 4 MTRS 35/50	1
68		251260108_W	BITUBE TORCH	SR-26V LITTLE TIG 8 MTRS 35/50	1
68		251260204_W	BITUBE FLEXIBLE TORCH	SR-26V LITTLE TIG 4 MTRS 35/50	1
68		251260208_W	BITUBE FLEXIBLE TORCH	SR-26V LITTLE TIG 8 MTRS 35/50	1
68		251260304_W	COAXIAL TORCH	SR-26V LITTLE TIG 4 MTRS 35/50	1
68		251260308_W	COAXIAL TORCH	SR-26V LITTLE TIG 8 MTRS 35/50	1
68		251260504_W	COAXIAL SKIN TORCH	SR-26V LITTLE TIG 4 MTRS 35/50	1
68		251260508_W	COAXIAL SKIN TORCH	SR-26V LITTLE TIG 8 MTRS 35/50	1
68	R-1	299TPLG_W	LONG BACK CAP	SR-17-V/18W/26-V -57Y02-	5
68	R-2	299TPMN_W	BACK CAP MEDIUM	SR-17-V/18W/26-V -300M-	5
68	R-3	299TPCT_W	BACK CAP SHORT	SR-17-V/18W/26-V -57Y04-	5
68	R-4	299TP01_W	O-RING CAP TIG	SR-17-V/18W/26-V -98W77-	10
68	R-5	299PZ10_W	COLLET Ø 1'0MM.	SR-17-V/18W/26-V -10N22- .040"	5
68	R-5	299PZ16_W	COLLET Ø 1'6MM.	SR-17-V/18W/26-V -10N23- 1/16"	5
68	R-5	299PZ20_W	COLLET Ø 2'0MM.	SR-17-V/18W/26-V -10N26-	5
68	R-5	299PZ24_W	COLLET Ø 2'4MM.	SR-17-V/18W/26-V -10N24- 3/32"	5
68	R-5	299PZ30_W	COLLET Ø 3'0MM.	SR-17-V/18W/26-V	5
68	R-5	299PZ32_W	COLLET Ø 3'2MM.	SR-17-V/18W/26-V -10N25- 1/8"	5
68	R-5	299PZ40_W	COLLET Ø 4'0MM.	SR-17-V/18W/26-V -54N20- 5/32"	5
68	R-6	299DI10_W	COLLET BODY Ø 1'0MM.	SR-17-V/18W/26-V -10N30- .040"	5
68	R-6	299DI16_W	COLLET BODY Ø 1'6MM.	SR-17-V/18W/26-V -10N31- 1/16"	5
68	R-6	299DI20_W	COLLET BODY Ø 2'0MM.	SR-17-V/18W/26-V	5
68	R-6	299DI24_W	COLLET BODY Ø 2'4MM.	SR-17-V/18W/26-V -10N32- 3/32"	5
68	R-6	299DI30_W	COLLET BODY Ø 3'0MM.	SR-17-V/18W/26-V	5
68	R-6	299DI32_W	COLLET BODY Ø 3'2MM.	SR-17-V/18W/26-V -10N28- 1/8"	5
68	R-6	299DI40_W	COLLET BODY Ø 4'0MM.	SR-17-V/18W/26-V	5
68	R-7	29903GL_W	INSULATOR FRONT GAS LENS	SR-17-V/18W/26-V -54N01-	5
68	R-8	299DL10_W	COLLET BODY Ø 1'0MM. GAS LENS	SR-17-V/18W/26-V -45V24- .040"	5
68	R-8	299DL16_W	COLLET BODY Ø 1'6MM. GAS LENS	SR-17-V/18W/26-V -45V25- 1/16"	5
68	R-8	299DL20_W	COLLET BODY Ø 2'0MM. GAS LENS	SR-17-V/18W/26-V	5
68	R-8	299DL24_W	COLLET BODY Ø 2'4MM. GAS LENS	SR-17-V/18W/26-V -45V26- 3/32"	5
68	R-8	299DL32_W	COLLET BODY Ø 3'2MM. GAS LENS	SR-17-V/18W/26-V -45V27- 1/8"	5
68	R-8	299DL40_W	COLLET BODY Ø 4'0MM. GAS LENS	SR-17-V/18W/26-V -45V28- 5/32"	5
68	R-9	29903GLE_W	INSULATOR FRONT G.L. SPECIAL	SR-17-V/18W/26-V -54N63-	5
68	R-10	299DL16E_W	COLLET BODY Ø 1'6MM. GAS LENS	SR-17-V/18W/26-V -45V116-1/16"	5
68	R-10	299DL24E_W	COLLET BODY Ø 2'4MM. GAS LENS	SR-17-V/18W/26-V -45V64- 3/32"	5
68	R-10	299DL32E_W	COLLET BODY Ø 3'2MM. GAS LENS	SR-17-V/18W/26-V -995795- 1/8"	5
68	E-1	226VA01_W	TORCH BODY VALVE	SR-26V	1
68	E-2	299031_W	BACK INSULATOR REAR	SR-17-V/18W/26-V -18-7-	5
68	E-3	29903_W	INSULATOR FRONT	SR-17-V/18W/26-V -18CG-	5
68	E-4	226VA01F_W	TORCH BODY VALVE FLEXIBLE	SR-26VF	1
68	E-5	226V_W	VALVE CAP	SR-18V/26V/226V -VS1-	5
68	E-7	22699011_W	BLACK HANDLE VALVE	SR26V/18WV P-5015 LITTLE TIG	1
68	E-8	2000106V_W	SET JOINT+COLLET	LITTLE TIG	1
68	B-1	299NN44_W	CERAMIC CUP Ø19-24MM.	SR-17-V/18W/26-V -10N44- #12	10
68	B-1	299NN45_W	CERAMIC CUP Ø16-20MM.	SR-17-V/18W/26-V -10N45- #10	10
68	B-1	299NN46_W	CERAMIC CUP Ø13-18MM.	SR-17-V/18W/26-V -10N46- #8	10
68	B-1	299NN47_W	CERAMIC CUP Ø11-16MM.	SR-17-V/18W/26-V -10N47- #7	10
68	B-1	299NN48_W	CERAMIC CUP Ø 9-14MM.	SR-17-V/18W/26-V -10N48- #6	10
68	B-1	299NN49_W	CERAMIC CUP Ø 8-13MM.	SR-17-V/18W/26-V -10N49- #5	10
68	B-1	299NN50_W	CERAMIC CUP Ø 6-11MM.	SR-17-V/18W/26-V -10N50- #4	10
68	B-2	299NN48L_W	CERAMIC CUP Ø 9-14MM. LONG	SR-17-V/18W/26-V -10N48L- #6	10
68	B-2	299NN49L_W	CERAMIC CUP Ø 8-13MM. LONG	SR-17-V/18W/26-V -10N49L- #5	10
68	B-3	299NL14_W	CERAMIC CUP GAS LENS	SR-17-V/18W/26-V -54N14- #8	10
68	B-3	299NL15_W	CERAMIC CUP GAS LENS	SR-17-V/18W/26-V -54N15- #7	10

68	B-3	299NL16_W	CERAMIC CUP GAS LENS	SR-17-V/18W/26-V -54N16- #6	10
68	B-3	299NL17_W	CERAMIC CUP GAS LENS	SR-17-V/18W/26-V -54N17- #5	10
68	B-3	299NL18_W	CERAMIC CUP GAS LENS	SR-17-V/18W/26-V -54N18- #4	10
68	B-4	299NL74_W	CERAMIC CUP GAS LENS SPECIAL	SR-17-V/18W/26-V -57N74- #7	10
68	B-4	299NL75_W	CERAMIC CUP GAS LENS SPECIAL	SR-17-V/18W/26-V -57N75- #6	10
68	B-4	299NL87_W	CERAMIC CUP GAS LENS SPECIAL	SR-17-V/18W/26-V -53N87- #12	10
68	B-4	299NL88_W	CERAMIC CUP GAS LENS SPECIAL	SR-17-V/18W/26-V -53N88- #10	10
68	C-2	299TG36_W	CABLE PVC BLACK FOR MTRS.	Ø3*6MM.	100
68	C-3	226CX88_W	PLUG CABLE FRONT	SR-26/26V	5
68	C-4	5260125_W	LEADING CONEX C/A	25MM2 SR-26/26V	5
68	C-5	08F2225_W	LINING EXTERIOR	IMPACT SR-26V/SR-18WV	40
68	C-7	4AM3550_W	CABLE PLUG	35/50.	10
68	C-71	4AM1025_W	CABLE PLUG	10/25.	25
68	C-9	5140225_W	REAR CONEXION C/A TIG	25MM2 1/4G	5
68	C-10	08F2225P_W	SKIN LINING	IMPACT SR-26V/SR-18WV	1
68	C-11	145TG99_W	COOL HOSE BLACK P.V.C.	Ø5*8MM.	100
68	T-3	299TG2_W	REAR NUT GAS TIG NICKEL	1/4GAS	10
68	T-4	299TG88_W	REAR NIPPLE GAS TIG	Ø3*6MM.	10
68	T-5	145TA88A_W	PLUG FOR CENTRAL CONNECTOR	EM-401W/501W	10
68	T-6	145TA88_W	PLUG FOR CENTRAL CONNECTOR	EM-401W/501W	10
68	T-7	299TG881_W	REAR NIPPLE GAS TIG	Ø5*8MM.	10
68	T-17	145T095_W	HOSE CLAMP	-09'5-	10
68	T-81	200002602_W	COAXIAL CONECTION 35/50 1/4G	LITTLE TIG	1
68	T-82	200002601_W	COAXIAL CONECTION 10/25 1/4G	LITTLE TIG	1
68	T-9	299R1214_W	REDUCTION TIG	1/4GM - M12/100H	1
68	T-9	5120225_W	REAR CONEX. C/A TIG	25MM2 M/12*1	5
68	T-10	299R3814_W	REDUCTION TIG	1/4GM - G3/8H	1
68	T-10	5380225_W	REAR CONEX C/A TIG	25MM2 3/8G	5
68	S2	20001241_W	SUPPORT AIR CONECTION	LITTLE TIG	1
68	S3	1EM9MZ1_W	SCREW CENTRAL CONNECTOR	ERGODANI EM/EX/NEO	10